

Semantics and Verification of Software

Lecture 5: Fixpoint Semantics of while Loop

Thomas Noll

Lehrstuhl für Informatik 2
(Software Modeling and Verification)

RWTH Aachen University

noll@cs.rwth-aachen.de

<http://www-i2.informatik.rwth-aachen.de/i2/svsw08/>

Winter semester 2008/09

- 1 Repetition: Denotational Semantics
- 2 Fixpoint Semantics of while Loop
- 3 Characterization of $\text{fix}(\Phi)$

- Now: semantic functional

$$\mathfrak{C}[\cdot] : Cmd \rightarrow (\Sigma \dashrightarrow \Sigma)$$

- Same type as operational functional

$$\mathfrak{O}[\cdot] : Cmd \rightarrow (\Sigma \dashrightarrow \Sigma)$$

(in fact, both will turn out to be the **same**

⇒ **equivalence** of operational and denotational semantics)

- Inductive definition employs auxiliary functions:

- identity on states: $\text{id}_\Sigma : \Sigma \dashrightarrow \Sigma : \sigma \mapsto \sigma$

- (strict) composition of partial state transformations:

$$\circ : (\Sigma \dashrightarrow \Sigma) \times (\Sigma \dashrightarrow \Sigma) \rightarrow (\Sigma \dashrightarrow \Sigma)$$

where, for every $f, g : \Sigma \dashrightarrow \Sigma$ and $\sigma \in \Sigma$,

$$(g \circ f)(\sigma) := \begin{cases} g(f(\sigma)) & \text{if } f(\sigma) \text{ defined} \\ \text{undefined} & \text{otherwise} \end{cases}$$

- semantic conditional:**

$$\text{cond} : (\Sigma \rightarrow \mathbb{B}) \times (\Sigma \dashrightarrow \Sigma) \times (\Sigma \dashrightarrow \Sigma) \rightarrow (\Sigma \dashrightarrow \Sigma)$$

where, for every $p : \Sigma \rightarrow \mathbb{B}$, $f, g : \Sigma \dashrightarrow \Sigma$, and $\sigma \in \Sigma$,

$$\text{cond}(p, f, g)(\sigma) := \begin{cases} f(\sigma) & \text{if } p(\sigma) = \text{true} \\ g(\sigma) & \text{otherwise} \end{cases}$$

Definition (Denotational semantics of statements)

The (denotational) semantic functional for statements,

$$\mathfrak{C}[\cdot] : Cmd \rightarrow (\Sigma \dashrightarrow \Sigma),$$

is given by:

$$\begin{aligned}\mathfrak{C}[\text{skip}] &:= \text{id}_\Sigma \\ \mathfrak{C}[x := a]\sigma &:= \sigma[x \mapsto \mathfrak{A}[a]\sigma] \\ \mathfrak{C}[c_1; c_2] &:= \mathfrak{C}[c_2] \circ \mathfrak{C}[c_1] \\ \mathfrak{C}[\text{if } b \text{ then } c_1 \text{ else } c_2] &:= \text{cond}(\mathfrak{B}[b], \mathfrak{C}[c_1], \mathfrak{C}[c_2]) \\ \mathfrak{C}[\text{while } b \text{ do } c] &:= \text{fix}(\Phi)\end{aligned}$$

where $\Phi : (\Sigma \dashrightarrow \Sigma) \rightarrow (\Sigma \dashrightarrow \Sigma) : f \mapsto \text{cond}(\mathfrak{B}[b], f \circ \mathfrak{C}[c], \text{id}_\Sigma)$

Remarks:

- Definition of $\mathfrak{C}[c]$ given by **induction on syntactic structure** of $c \in Cmd$
 - in particular, $\mathfrak{C}[\text{while } b \text{ do } c]$ only refers to $\mathfrak{B}[b]$ and $\mathfrak{C}[c]$ (and not to $\mathfrak{C}[\text{while } b \text{ do } c]$ again)
 - note difference to $\mathfrak{O}[c]$:

$$(\text{wh-t}) \frac{\langle b, \sigma \rangle \rightarrow \text{true} \quad \langle c, \sigma \rangle \rightarrow \sigma' \quad \langle \text{while } b \text{ do } c, \sigma' \rangle \rightarrow \sigma''}{\langle \text{while } b \text{ do } c, \sigma \rangle \rightarrow \sigma''}$$

- In $\mathfrak{C}[c_1; c_2] := \mathfrak{C}[c_2] \circ \mathfrak{C}[c_1]$, function composition \circ has to be **strict** since non-termination of c_1 implies non-termination of $c_1; c_2$
- In $\mathfrak{C}[\text{while } b \text{ do } c] := \text{fix}(\Phi)$, fix denotes a fixpoint operator (which remains to be defined)
 \implies “fixpoint semantics”

But: why **fixpoints**?

- 1 Repetition: Denotational Semantics
- 2 Fixpoint Semantics of `while` Loop
- 3 Characterization of $\text{fix}(\Phi)$

Why Fixpoints?

- Goal: preserve **validity of equivalence**

$\mathfrak{C}[\text{while } b \text{ do } c] \stackrel{(*)}{=} \mathfrak{C}[\text{if } b \text{ then } (c; \text{while } b \text{ do } c) \text{ else skip}]$
(cf. Lemma 4.3)

Why Fixpoints?

- Goal: preserve **validity of equivalence**

$\mathfrak{C}[\text{while } b \text{ do } c] \stackrel{(*)}{=} \mathfrak{C}[\text{if } b \text{ then } (c; \text{while } b \text{ do } c) \text{ else skip}]$
(cf. Lemma 4.3)

- Using the known parts of Def. 4.6, we obtain:

$\mathfrak{C}[\text{while } b \text{ do } c]$

Why Fixpoints?

- Goal: preserve **validity of equivalence**

$\mathfrak{C}[\text{while } b \text{ do } c] \stackrel{(*)}{=} \mathfrak{C}[\text{if } b \text{ then } (c; \text{while } b \text{ do } c) \text{ else skip}]$
(cf. Lemma 4.3)

- Using the known parts of Def. 4.6, we obtain:

$$\begin{aligned} \mathfrak{C}[\text{while } b \text{ do } c] \\ \stackrel{(*)}{=} \mathfrak{C}[\text{if } b \text{ then } (c; \text{while } b \text{ do } c) \text{ else skip}] \end{aligned}$$

Why Fixpoints?

- Goal: preserve **validity of equivalence**

$\mathfrak{C}[\text{while } b \text{ do } c] \stackrel{(*)}{=} \mathfrak{C}[\text{if } b \text{ then } (c; \text{while } b \text{ do } c) \text{ else skip}]$
(cf. Lemma 4.3)

- Using the known parts of Def. 4.6, we obtain:

$$\begin{aligned}\mathfrak{C}[\text{while } b \text{ do } c] & \stackrel{(*)}{=} \mathfrak{C}[\text{if } b \text{ then } (c; \text{while } b \text{ do } c) \text{ else skip}] \\ & \stackrel{\text{Def. 4.6}}{=} \text{cond}(\mathfrak{B}[b], \mathfrak{C}[c; \text{while } b \text{ do } c], \mathfrak{C}[\text{skip}])\end{aligned}$$

Why Fixpoints?

- Goal: preserve **validity of equivalence**

$\mathfrak{C}[\text{while } b \text{ do } c] \stackrel{(*)}{=} \mathfrak{C}[\text{if } b \text{ then } (c; \text{while } b \text{ do } c) \text{ else skip}]$
(cf. Lemma 4.3)

- Using the known parts of Def. 4.6, we obtain:

$$\begin{aligned}\mathfrak{C}[\text{while } b \text{ do } c] &\stackrel{(*)}{=} \mathfrak{C}[\text{if } b \text{ then } (c; \text{while } b \text{ do } c) \text{ else skip}] \\ &\stackrel{\text{Def. 4.6}}{=} \text{cond}(\mathfrak{B}[b], \mathfrak{C}[c; \text{while } b \text{ do } c], \mathfrak{C}[\text{skip}]) \\ &\stackrel{\text{Def. 4.6}}{=} \text{cond}(\mathfrak{B}[b], \mathfrak{C}[\text{while } b \text{ do } c] \circ \mathfrak{C}[c], \text{id}_{\Sigma})\end{aligned}$$

Why Fixpoints?

- Goal: preserve **validity of equivalence**

$$\mathfrak{C}[\text{while } b \text{ do } c] \stackrel{(*)}{=} \mathfrak{C}[\text{if } b \text{ then } (c; \text{while } b \text{ do } c) \text{ else skip}]$$

(cf. Lemma 4.3)

- Using the known parts of Def. 4.6, we obtain:

$$\begin{aligned}\mathfrak{C}[\text{while } b \text{ do } c] &\stackrel{(*)}{=} \mathfrak{C}[\text{if } b \text{ then } (c; \text{while } b \text{ do } c) \text{ else skip}] \\ &\stackrel{\text{Def. 4.6}}{=} \text{cond}(\mathfrak{B}[b], \mathfrak{C}[c; \text{while } b \text{ do } c], \mathfrak{C}[\text{skip}]) \\ &\stackrel{\text{Def. 4.6}}{=} \text{cond}(\mathfrak{B}[b], \mathfrak{C}[\text{while } b \text{ do } c] \circ \mathfrak{C}[c], \text{id}_\Sigma)\end{aligned}$$

- Abbreviating $f := \mathfrak{C}[\text{while } b \text{ do } c]$ this yields:

$$f = \text{cond}(\mathfrak{B}[b], f \circ \mathfrak{C}[c], \text{id}_\Sigma)$$

Why Fixpoints?

- Goal: preserve **validity of equivalence**

$$\mathfrak{C}[\text{while } b \text{ do } c] \stackrel{(*)}{=} \mathfrak{C}[\text{if } b \text{ then } (c; \text{while } b \text{ do } c) \text{ else skip}]$$

(cf. Lemma 4.3)

- Using the known parts of Def. 4.6, we obtain:

$$\begin{aligned}\mathfrak{C}[\text{while } b \text{ do } c] &\stackrel{(*)}{=} \mathfrak{C}[\text{if } b \text{ then } (c; \text{while } b \text{ do } c) \text{ else skip}] \\ &\stackrel{\text{Def. 4.6}}{=} \text{cond}(\mathfrak{B}[b], \mathfrak{C}[c; \text{while } b \text{ do } c], \mathfrak{C}[\text{skip}]) \\ &\stackrel{\text{Def. 4.6}}{=} \text{cond}(\mathfrak{B}[b], \mathfrak{C}[\text{while } b \text{ do } c] \circ \mathfrak{C}[c], \text{id}_\Sigma)\end{aligned}$$

- Abbreviating $f := \mathfrak{C}[\text{while } b \text{ do } c]$ this yields:

$$f = \text{cond}(\mathfrak{B}[b], f \circ \mathfrak{C}[c], \text{id}_\Sigma)$$

- Hence f must be a **solution** of this recursive equation

Why Fixpoints?

- Goal: preserve **validity of equivalence**

$$\mathfrak{C}[\text{while } b \text{ do } c] \stackrel{(*)}{=} \mathfrak{C}[\text{if } b \text{ then } (c; \text{while } b \text{ do } c) \text{ else skip}]$$

(cf. Lemma 4.3)

- Using the known parts of Def. 4.6, we obtain:

$$\begin{aligned}\mathfrak{C}[\text{while } b \text{ do } c] &\stackrel{(*)}{=} \mathfrak{C}[\text{if } b \text{ then } (c; \text{while } b \text{ do } c) \text{ else skip}] \\ &\stackrel{\text{Def. 4.6}}{=} \text{cond}(\mathfrak{B}[b], \mathfrak{C}[c; \text{while } b \text{ do } c], \mathfrak{C}[\text{skip}]) \\ &\stackrel{\text{Def. 4.6}}{=} \text{cond}(\mathfrak{B}[b], \mathfrak{C}[\text{while } b \text{ do } c] \circ \mathfrak{C}[c], \text{id}_\Sigma)\end{aligned}$$

- Abbreviating $f := \mathfrak{C}[\text{while } b \text{ do } c]$ this yields:

$$f = \text{cond}(\mathfrak{B}[b], f \circ \mathfrak{C}[c], \text{id}_\Sigma)$$

- Hence f must be a **solution** of this recursive equation
- In other words: f must be a **fixpoint** of the mapping

$$\Phi : (\Sigma \dashrightarrow \Sigma) \rightarrow (\Sigma \dashrightarrow \Sigma) : f \mapsto \text{cond}(\mathfrak{B}[b], f \circ \mathfrak{C}[c], \text{id}_\Sigma)$$

(since the equation can be stated as $f = \Phi(f)$)

But: fixpoint property not sufficient to obtain a well-defined semantics

Existence: there does no need to exist any fixpoint. Examples:

① $\phi_1 : \mathbb{N} \rightarrow \mathbb{N} : n \mapsto n + 1$ has no fixpoint

② $\Phi_1 : (\Sigma \dashrightarrow \Sigma) \rightarrow (\Sigma \dashrightarrow \Sigma) : f \mapsto \begin{cases} g_1 & \text{if } f = g_2 \\ g_2 & \text{otherwise} \end{cases}$
(where $g_1 \neq g_2$) has no fixpoint

But: fixpoint property not sufficient to obtain a well-defined semantics

Existence: there does no need to exist any fixpoint. Examples:

① $\phi_1 : \mathbb{N} \rightarrow \mathbb{N} : n \mapsto n + 1$ has no fixpoint

② $\Phi_1 : (\Sigma \dashrightarrow \Sigma) \rightarrow (\Sigma \dashrightarrow \Sigma) : f \mapsto \begin{cases} g_1 & \text{if } f = g_2 \\ g_2 & \text{otherwise} \end{cases}$
(where $g_1 \neq g_2$) has no fixpoint

Solution: in our setting, fixpoints always exist

Well-Definedness of Fixpoint Semantics

But: fixpoint property not sufficient to obtain a well-defined semantics

Existence: there does no need to exist any fixpoint. Examples:

① $\phi_1 : \mathbb{N} \rightarrow \mathbb{N} : n \mapsto n + 1$ has no fixpoint

② $\Phi_1 : (\Sigma \dashrightarrow \Sigma) \rightarrow (\Sigma \dashrightarrow \Sigma) : f \mapsto \begin{cases} g_1 & \text{if } f = g_2 \\ g_2 & \text{otherwise} \end{cases}$
(where $g_1 \neq g_2$) has no fixpoint

Solution: in our setting, fixpoints always exist

Uniqueness: there might exist several fixpoints. Examples:

① $\phi_2 : \mathbb{N} \rightarrow \mathbb{N} : n \mapsto n^3$ has fixpoints $\{0, 1\}$

② every state transformation f is a fixpoint of
 $\Phi_2 : (\Sigma \dashrightarrow \Sigma) \rightarrow (\Sigma \dashrightarrow \Sigma) : f \mapsto f$

But: fixpoint property not sufficient to obtain a well-defined semantics

Existence: there does no need to exist any fixpoint. Examples:

① $\phi_1 : \mathbb{N} \rightarrow \mathbb{N} : n \mapsto n + 1$ has no fixpoint

② $\Phi_1 : (\Sigma \dashrightarrow \Sigma) \rightarrow (\Sigma \dashrightarrow \Sigma) : f \mapsto \begin{cases} g_1 & \text{if } f = g_2 \\ g_2 & \text{otherwise} \end{cases}$
(where $g_1 \neq g_2$) has no fixpoint

Solution: in our setting, fixpoints always exist

Uniqueness: there might exist several fixpoints. Examples:

① $\phi_2 : \mathbb{N} \rightarrow \mathbb{N} : n \mapsto n^3$ has fixpoints $\{0, 1\}$

② every state transformation f is a fixpoint of
 $\Phi_2 : (\Sigma \dashrightarrow \Sigma) \rightarrow (\Sigma \dashrightarrow \Sigma) : f \mapsto f$

Solution: uniqueness guaranteed by choosing a special fixpoint

- 1 Repetition: Denotational Semantics
- 2 Fixpoint Semantics of `while` Loop
- 3 Characterization of $\text{fix}(\Phi)$

- Let $b \in BExp$ and $c \in Cmd$

- Let $b \in BExp$ and $c \in Cmd$
- Let $\Phi(f) := \text{cond}(\mathfrak{B}\llbracket b \rrbracket, f \circ \mathfrak{C}\llbracket c \rrbracket, \text{id}_\Sigma)$

- Let $b \in BExp$ and $c \in Cmd$
- Let $\Phi(f) := \text{cond}(\mathfrak{B}\llbracket b \rrbracket, f \circ \mathfrak{C}\llbracket c \rrbracket, \text{id}_\Sigma)$
- Let $f_0 : \Sigma \dashrightarrow \Sigma$ be a fixpoint of Φ , i.e., $\Phi(f_0) = f_0$

- Let $b \in BExp$ and $c \in Cmd$
- Let $\Phi(f) := \text{cond}(\mathfrak{B}\llbracket b \rrbracket, f \circ \mathfrak{C}\llbracket c \rrbracket, \text{id}_\Sigma)$
- Let $f_0 : \Sigma \dashrightarrow \Sigma$ be a fixpoint of Φ , i.e., $\Phi(f_0) = f_0$
- Given some initial state $\sigma_0 \in \Sigma$, we will distinguish the following cases:
 - ① loop **while** b **do** c terminates after n iterations ($n \in \mathbb{N}$)
 - ② body c diverges in the n th iteration
(since it contains a non-terminating **while** statement)
 - ③ loop **while** b **do** c itself diverges

Case 1: Termination of Loop

- Loop `while b do c` terminates after n iterations ($n \in \mathbb{N}$)

Case 1: Termination of Loop

- Loop `while b do c` terminates after n iterations ($n \in \mathbb{N}$)

- Formally: there exist $\sigma_1, \dots, \sigma_n \in \Sigma$ such that

$$\mathfrak{B}[\![b]\!]\sigma_i = \begin{cases} \text{true} & \text{if } 0 \leq i < n \\ \text{false} & \text{if } i = n \end{cases} \quad \text{and}$$
$$\mathfrak{C}[\![c]\!]\sigma_i = \sigma_{i+1} \quad \text{for every } 0 \leq i < n$$

Case 1: Termination of Loop

- Loop `while b do c` terminates after n iterations ($n \in \mathbb{N}$)

- Formally: there exist $\sigma_1, \dots, \sigma_n \in \Sigma$ such that

$$\mathfrak{B}[\![b]\!]\sigma_i = \begin{cases} \text{true} & \text{if } 0 \leq i < n \\ \text{false} & \text{if } i = n \end{cases} \quad \text{and}$$
$$\mathfrak{C}[\![c]\!]\sigma_i = \sigma_{i+1} \quad \text{for every } 0 \leq i < n$$

- Now the definition

$\Phi(f) := \text{cond}(\mathfrak{B}[\![b]\!], f \circ \mathfrak{C}[\![c]\!], \text{id}_\Sigma)$ implies, for every $0 \leq i < n$,

$$\begin{aligned} \Phi(f_0)(\sigma_i) &= (f_0 \circ \mathfrak{C}[\![c]\!])(\sigma_i) && \text{since } \mathfrak{B}[\![b]\!]\sigma_i = \text{true} \\ &= f_0(\sigma_{i+1}) && \text{and} \end{aligned}$$

$$\Phi(f_0)(\sigma_n) = \sigma_n \quad \text{since } \mathfrak{B}[\![b]\!]\sigma_n = \text{false}$$

Case 1: Termination of Loop

- Loop `while b do c` terminates after n iterations ($n \in \mathbb{N}$)

- Formally: there exist $\sigma_1, \dots, \sigma_n \in \Sigma$ such that

$$\mathfrak{B}[\![b]\!]\sigma_i = \begin{cases} \text{true} & \text{if } 0 \leq i < n \\ \text{false} & \text{if } i = n \end{cases} \quad \text{and}$$
$$\mathfrak{C}[\![c]\!]\sigma_i = \sigma_{i+1} \quad \text{for every } 0 \leq i < n$$

- Now the definition

$\Phi(f) := \text{cond}(\mathfrak{B}[\![b]\!], f \circ \mathfrak{C}[\![c]\!], \text{id}_\Sigma)$ implies, for every $0 \leq i < n$,

$$\begin{aligned} \Phi(f_0)(\sigma_i) &= (f_0 \circ \mathfrak{C}[\![c]\!])(\sigma_i) && \text{since } \mathfrak{B}[\![b]\!]\sigma_i = \text{true} \\ &= f_0(\sigma_{i+1}) && \text{and} \end{aligned}$$

$$\Phi(f_0)(\sigma_n) = \sigma_n \quad \text{since } \mathfrak{B}[\![b]\!]\sigma_n = \text{false}$$

- Since $\Phi(f_0) = f_0$ it follows that

$$f_0(\sigma_i) = \begin{cases} f_0(\sigma_{i+1}) & \text{if } 0 \leq i < n \\ \sigma_n & \text{if } i = n \end{cases}$$

and hence

$$f_0(\sigma_0) = f_0(\sigma_1) = \dots f_0(\sigma_n) = \sigma_n$$

Case 1: Termination of Loop

- Loop `while b do c` terminates after n iterations ($n \in \mathbb{N}$)

- Formally: there exist $\sigma_1, \dots, \sigma_n \in \Sigma$ such that

$$\mathfrak{B}[\![b]\!]\sigma_i = \begin{cases} \text{true} & \text{if } 0 \leq i < n \\ \text{false} & \text{if } i = n \end{cases} \quad \text{and}$$
$$\mathfrak{C}[\![c]\!]\sigma_i = \sigma_{i+1} \quad \text{for every } 0 \leq i < n$$

- Now the definition

$\Phi(f) := \text{cond}(\mathfrak{B}[\![b]\!], f \circ \mathfrak{C}[\![c]\!], \text{id}_\Sigma)$ implies, for every $0 \leq i < n$,

$$\begin{aligned} \Phi(f_0)(\sigma_i) &= (f_0 \circ \mathfrak{C}[\![c]\!])(\sigma_i) && \text{since } \mathfrak{B}[\![b]\!]\sigma_i = \text{true} \\ &= f_0(\sigma_{i+1}) && \text{and} \end{aligned}$$

$$\Phi(f_0)(\sigma_n) = \sigma_n \quad \text{since } \mathfrak{B}[\![b]\!]\sigma_n = \text{false}$$

- Since $\Phi(f_0) = f_0$ it follows that

$$f_0(\sigma_i) = \begin{cases} f_0(\sigma_{i+1}) & \text{if } 0 \leq i < n \\ \sigma_n & \text{if } i = n \end{cases}$$

and hence

$$f_0(\sigma_0) = f_0(\sigma_1) = \dots f_0(\sigma_n) = \sigma_n$$

\implies All fixpoints coincide on σ_0 !

Case 2: Divergence of Body

- Body c diverges in the n th iteration
(since it contains a non-terminating `while` statement)

Case 2: Divergence of Body

- Body c diverges in the n th iteration
(since it contains a non-terminating `while` statement)
- Formally: there exist $\sigma_1, \dots, \sigma_{n-1} \in \Sigma$ such that

$$\mathfrak{B}[\![b]\!]\sigma_i = \text{true} \quad \text{for every } 0 \leq i < n \text{ and}$$
$$\mathfrak{C}[\![c]\!]\sigma_i = \begin{cases} \sigma_{i+1} & \text{if } 0 \leq i \leq n-2 \\ \text{undefined} & \text{if } i = n-1 \end{cases}$$

Case 2: Divergence of Body

- Body c diverges in the n th iteration
(since it contains a non-terminating `while` statement)
- Formally: there exist $\sigma_1, \dots, \sigma_{n-1} \in \Sigma$ such that

$$\mathfrak{B}[\![b]\!]_{\sigma_i} = \text{true} \quad \text{for every } 0 \leq i < n \text{ and}$$
$$\mathfrak{C}[\![c]\!]_{\sigma_i} = \begin{cases} \sigma_{i+1} & \text{if } 0 \leq i \leq n-2 \\ \text{undefined} & \text{if } i = n-1 \end{cases}$$

- Just as in the previous case (setting $\sigma_n := \text{undefined}$) it follows that

$$f_0(\sigma_0) = \text{undefined}$$

Case 2: Divergence of Body

- Body c diverges in the n th iteration
(since it contains a non-terminating `while` statement)
- Formally: there exist $\sigma_1, \dots, \sigma_{n-1} \in \Sigma$ such that

$$\mathfrak{B}[\![b]\!]_{\sigma_i} = \text{true} \quad \text{for every } 0 \leq i < n \text{ and}$$
$$\mathfrak{C}[\![c]\!]_{\sigma_i} = \begin{cases} \sigma_{i+1} & \text{if } 0 \leq i \leq n-2 \\ \text{undefined} & \text{if } i = n-1 \end{cases}$$

- Just as in the previous case (setting $\sigma_n := \text{undefined}$) it follows that

$$f_0(\sigma_0) = \text{undefined}$$

⇒ Again all fixpoints coincide on σ_0 !

Case 3: Divergence of Loop

- Loop `while b do c` diverges

Case 3: Divergence of Loop

- Loop `while b do c` diverges
- Formally: there exist $\sigma_1, \sigma_2, \dots \in \Sigma$ such that

$$\begin{aligned}\mathfrak{B}[\![b]\!]_{\sigma_i} &= \text{true} & \text{and} \\ \mathfrak{C}[\![c]\!]_{\sigma_i} &= \sigma_{i+1} & \text{for every } i \in \mathbb{N}\end{aligned}$$

Case 3: Divergence of Loop

- Loop `while b do c` diverges
- Formally: there exist $\sigma_1, \sigma_2, \dots \in \Sigma$ such that

$$\begin{aligned}\mathfrak{B}[\![b]\!]_{\sigma_i} &= \text{true} & \text{and} \\ \mathfrak{C}[\![c]\!]_{\sigma_i} &= \sigma_{i+1} & \text{for every } i \in \mathbb{N}\end{aligned}$$

- Here only derivable:

$$f_0(\sigma_0) = f_0(\sigma_i) \quad \text{for every } i \in \mathbb{N}$$

Case 3: Divergence of Loop

- Loop `while b do c` diverges
- Formally: there exist $\sigma_1, \sigma_2, \dots \in \Sigma$ such that

$$\begin{aligned}\mathfrak{B}[\![b]\!]_{\sigma_i} &= \text{true} & \text{and} \\ \mathfrak{C}[\![c]\!]_{\sigma_i} &= \sigma_{i+1} & \text{for every } i \in \mathbb{N}\end{aligned}$$

- Here only derivable:

$$f_0(\sigma_0) = f_0(\sigma_i) \quad \text{for every } i \in \mathbb{N}$$

⇒ Value of $f_0(\sigma_0)$ not determined!

For $\Phi(f_0) = f_0$ and initial state $\sigma_0 \in \Sigma$, case distinction yields:

- ① Loop `while b do c` terminates after n iterations ($n \in \mathbb{N}$)
 $\implies f_0(\sigma_0) = \sigma_n$
- ② Body `c` diverges in the n th iteration
 $\implies f_0(\sigma_0) = \text{undefined}$
- ③ Loop `while b do c` diverges
 \implies no condition on f_0 (only $f_0(\sigma_0) = f_0(\sigma_i)$ for every $i \in \mathbb{N}$)

Summary

For $\Phi(f_0) = f_0$ and initial state $\sigma_0 \in \Sigma$, case distinction yields:

- ➊ Loop `while b do c` terminates after n iterations ($n \in \mathbb{N}$)
 $\implies f_0(\sigma_0) = \sigma_n$
- ➋ Body `c` diverges in the n th iteration
 $\implies f_0(\sigma_0) = \text{undefined}$
- ➌ Loop `while b do c` diverges
 \implies no condition on f_0 (only $f_0(\sigma_0) = f_0(\sigma_i)$ for every $i \in \mathbb{N}$)
- Not surprising since, e.g., the loop `while true do skip` yields for every $f : \Sigma \dashrightarrow \Sigma$:

$$\Phi(f) = \text{cond}(\mathfrak{B}[\text{true}], f \circ \mathfrak{C}[\text{skip}], \text{id}_\Sigma) = f$$

Summary

For $\Phi(f_0) = f_0$ and initial state $\sigma_0 \in \Sigma$, case distinction yields:

- ➊ Loop `while b do c` terminates after n iterations ($n \in \mathbb{N}$)
 $\implies f_0(\sigma_0) = \sigma_n$
- ➋ Body `c` diverges in the n th iteration
 $\implies f_0(\sigma_0) = \text{undefined}$
- ➌ Loop `while b do c` diverges
 \implies no condition on f_0 (only $f_0(\sigma_0) = f_0(\sigma_i)$ for every $i \in \mathbb{N}$)
- Not surprising since, e.g., the loop `while true do skip` yields for every $f : \Sigma \dashrightarrow \Sigma$:

$$\Phi(f) = \text{cond}(\mathfrak{B}[\text{true}], f \circ \mathfrak{C}[\text{skip}], \text{id}_\Sigma) = f$$

- On the other hand, our operational understanding requires, for every $\sigma_0 \in \Sigma$,

$$\mathfrak{C}[\text{while true do skip}]\sigma_0 = \text{undefined}$$

Summary

For $\Phi(f_0) = f_0$ and initial state $\sigma_0 \in \Sigma$, case distinction yields:

- ① Loop `while b do c` terminates after n iterations ($n \in \mathbb{N}$)
 $\implies f_0(\sigma_0) = \sigma_n$
- ② Body `c` diverges in the n th iteration
 $\implies f_0(\sigma_0) = \text{undefined}$
- ③ Loop `while b do c` diverges
 \implies no condition on f_0 (only $f_0(\sigma_0) = f_0(\sigma_i)$ for every $i \in \mathbb{N}$)

• Not surprising since, e.g., the loop `while true do skip` yields for every $f : \Sigma \dashrightarrow \Sigma$:

$$\Phi(f) = \text{cond}(\mathfrak{B}[\text{true}], f \circ \mathfrak{C}[\text{skip}], \text{id}_\Sigma) = f$$

• On the other hand, our operational understanding requires, for every $\sigma_0 \in \Sigma$,

$$\mathfrak{C}[\text{while true do skip}]\sigma_0 = \text{undefined}$$

Conclusion

$\text{fix}(\Phi)$ is the **least defined fixpoint** of Φ .

To use fixpoint theory, the notion of “least defined” has to be made precise.

- Given $f, g : \Sigma \dashrightarrow \Sigma$, let

$$f \sqsubseteq g \iff \text{for every } \sigma, \sigma' \in \Sigma : f(\sigma) = \sigma' \implies g(\sigma) = \sigma'$$

(g is “at least as defined” as f)

To use fixpoint theory, the notion of “least defined” has to be made precise.

- Given $f, g : \Sigma \dashrightarrow \Sigma$, let

$$f \sqsubseteq g \iff \text{for every } \sigma, \sigma' \in \Sigma : f(\sigma) = \sigma' \implies g(\sigma) = \sigma'$$

(g is “at least as defined” as f)

- Equivalent to requiring

$$\text{graph}(f) \subseteq \text{graph}(g)$$

where

$$\text{graph}(h) := \{(\sigma, \sigma') \mid \sigma \in \Sigma, \sigma' = h(\sigma) \text{ defined}\} \subseteq \Sigma \times \Sigma$$

for every $h : \Sigma \dashrightarrow \Sigma$

Example 5.1

Let $x \in \text{Var}$ be fixed, and let $f_0, f_1, f_2, f_3 : \Sigma \rightarrow \Sigma$ be given by

$$\begin{aligned}f_0(\sigma) &:= \text{undefined} \\f_1(\sigma) &:= \begin{cases} \sigma & \text{if } \sigma(x) \text{ even} \\ \text{undefined} & \text{otherwise} \end{cases} \\f_2(\sigma) &:= \begin{cases} \sigma & \text{if } \sigma(x) \text{ odd} \\ \text{undefined} & \text{otherwise} \end{cases} \\f_3(\sigma) &:= \sigma\end{aligned}$$

Example 5.1

Let $x \in \text{Var}$ be fixed, and let $f_0, f_1, f_2, f_3 : \Sigma \rightarrow \Sigma$ be given by

$$\begin{aligned}f_0(\sigma) &:= \text{undefined} \\f_1(\sigma) &:= \begin{cases} \sigma & \text{if } \sigma(x) \text{ even} \\ \text{undefined} & \text{otherwise} \end{cases} \\f_2(\sigma) &:= \begin{cases} \sigma & \text{if } \sigma(x) \text{ odd} \\ \text{undefined} & \text{otherwise} \end{cases} \\f_3(\sigma) &:= \sigma\end{aligned}$$

This implies $f_0 \sqsubseteq f_1 \sqsubseteq f_3$, $f_0 \sqsubseteq f_2 \sqsubseteq f_3$, $f_1 \not\sqsubseteq f_2$, and $f_2 \not\sqsubseteq f_1$

Now $\text{fix}(\Phi)$ can be characterized by:

- $\text{fix}(\Phi)$ is a **fixpoint** of Φ , i.e.,

$$\Phi(\text{fix}(\Phi)) = \text{fix}(\Phi)$$

- $\text{fix}(\Phi)$ is **minimal** with respect to \sqsubseteq , i.e., for every $f_0 : \Sigma \dashrightarrow \Sigma$ such that $\Phi(f_0) = f_0$,

$$\text{fix}(\Phi) \sqsubseteq f_0$$

Now $\text{fix}(\Phi)$ can be characterized by:

- $\text{fix}(\Phi)$ is a **fixpoint** of Φ , i.e.,

$$\Phi(\text{fix}(\Phi)) = \text{fix}(\Phi)$$

- $\text{fix}(\Phi)$ is **minimal** with respect to \sqsubseteq , i.e., for every $f_0 : \Sigma \dashrightarrow \Sigma$ such that $\Phi(f_0) = f_0$,

$$\text{fix}(\Phi) \sqsubseteq f_0$$

Example 5.2

For `while true do skip` we obtain for every $f : \Sigma \dashrightarrow \Sigma$:

$$\Phi(f) = \text{cond}(\mathfrak{B}[\text{true}], f \circ \mathfrak{C}[\text{skip}], \text{id}_\Sigma) = f$$

Now $\text{fix}(\Phi)$ can be characterized by:

- $\text{fix}(\Phi)$ is a **fixpoint** of Φ , i.e.,

$$\Phi(\text{fix}(\Phi)) = \text{fix}(\Phi)$$

- $\text{fix}(\Phi)$ is **minimal** with respect to \sqsubseteq , i.e., for every $f_0 : \Sigma \dashrightarrow \Sigma$ such that $\Phi(f_0) = f_0$,

$$\text{fix}(\Phi) \sqsubseteq f_0$$

Example 5.2

For `while true do skip` we obtain for every $f : \Sigma \dashrightarrow \Sigma$:

$$\Phi(f) = \text{cond}(\mathfrak{B}[\text{true}], f \circ \mathfrak{C}[\text{skip}], \text{id}_\Sigma) = f$$

$\implies \text{fix}(\Phi) = f_\emptyset$ where $f_\emptyset(\sigma) := \text{undefined}$ for every $\sigma \in \Sigma$
(that is, $\text{graph}(f_\emptyset) = \emptyset$)

Goals:

- Prove **existence** of $\text{fix}(\Phi)$ for $\Phi(f) = \text{cond}(\mathfrak{B}\llbracket b \rrbracket, f \circ \mathfrak{C}\llbracket c \rrbracket, \text{id}_\Sigma)$
- Show how it can be "**computed**" (more exactly: approximated)

Goals:

- Prove **existence** of $\text{fix}(\Phi)$ for $\Phi(f) = \text{cond}(\mathfrak{B}[\![b]\!], f \circ \mathfrak{C}[\![c]\!], \text{id}_\Sigma)$
- Show how it can be "**computed**" (more exactly: approximated)

Sufficient conditions:

on domain $\Sigma \dashrightarrow \Sigma$: **chain-complete partial order**

on function Φ : **continuity**